


# "RUSSWOOD ESTATES, UNIT 4"

A SUBDIVISION OF PART OF SECTION 10,  
TOWNSHIP 4 SOUTH, RANGE 16 EAST,  
COLUMBIA COUNTY, FLORIDA



LOCATION SKETCH SCALE 1" = 2000'


LOCATION MAP  
FROM 7.5 MINUTE SERIES QUADRANGLE MAP.  
SCALE 1" = 2000'

**DESCRIPTION:**  
PART OF THE NW 1/4 OF THE NW 1/4 OF SECTION 10, TOWNSHIP 4 SOUTH, RANGE 16 EAST, COLUMBIA COUNTY, FLORIDA, MORE PARTICULARLY DESCRIBED AS FOLLOWS:  
BEGIN AT THE NE CORNER OF LOT 14 OF "RUSSWOOD ESTATES, UNIT 3"; AS PER PLAT THEREOF RECORDED IN PLAT BOOK 7 PAGES 93-94 OF THE PUBLIC RECORDS OF COLUMBIA COUNTY, FLORIDA, AND THENCE S.88°15'32"W., ALONG THE NORTH LINE OF SAID "RUSSWOOD ESTATES, UNIT 3", A DISTANCE OF 796.17 FEET TO THE NW CORNER OF LOT 10 OF SAID "RUSSWOOD ESTATES, UNIT 3"; THENCE S.76°32'11"W., 61.28 FEET TO THE NE CORNER OF LOT 9 OF SAID "RUSSWOOD ESTATES, UNIT 3"; THENCE S.88°15'32"W., 472.24 FEET TO THE NW CORNER OF LOT 7 OF SAID "RUSSWOOD ESTATES, UNIT 3"; THENCE N.01°44'20"W., ALONG THE WEST LINE OF SAID SECTION 10 A DISTANCE OF 248.45 FEET; THENCE N.48°55'44"E., 294.45 FEET; THENCE N.88°15'32"E., 1101.13 FEET TO THE EAST LINE OF SAID NW 1/4 OF THE NW 1/4 OF SECTION 10; THENCE S.01°40'28"E., ALONG SAID EAST LINE, 422.62 FEET TO THE POINT OF BEGINNING.  
CONTAINS 12.55 ACRES, MORE OR LESS (546508 SQUARE FEET, MORE OR LESS).

**DEVELOPER / OWNER:**  
LOID RUSSELL BAILEY, SR. AND DOROTHY H. BAILEY  
2016 SW SISTERS WELCOME ROAD  
LAKE CITY, FL. 32025  
(386) 752-2401

**ACKNOWLEDGMENT:** STATE OF FLORIDA, COUNTY OF COLUMBIA  
I HEREBY CERTIFY THAT ON THIS 15 DAY OF December 2006 A.D., BEFORE ME PERSONALLY APPEARED LOID RUSSELL BAILEY, SR., AND HIS WIFE, DOROTHY H. BAILEY, AS OWNERS, TO ME KNOWN TO BE THE PERSONS DESCRIBED IN AND WHO EXECUTED THE FORGOING DEDICATION AND ACKNOWLEDGED THE EXECUTION THEREOF TO BE HIS FREE ACT AND DEED FOR THE USES AND PURPOSES THEREIN EXPRESSED. IN WITNESS WHEREOF I HAVE SET MY HAND AND SEAL ON THE ABOVE DATE.

*Connie F. Scott*  
NOTARY PUBLIC, STATE OF FLORIDA AT LARGE



MY COMMISSION EXPIRES:

- SURVEYOR'S NOTES:**
- BOUNDARY BASED ON MONUMENTATION FOUND IN ACCORDANCE WITH THE RETRACEMENT OF PREVIOUS SURVEYS OF THE NW 1/4 OF SECTION 10 BY THIS OFFICE AND OTHERS.
  - BEARINGS BASED ON PLAT OF RECORD OF "RUSSWOOD ESTATES, UNIT 2" USING MONUMENTS FOUND ON THE NORTH LINE OF SAID SUBDIVISION.
  - THIS PARCEL IS IN ZONE "X" AND IS DETERMINED TO BE OUTSIDE THE 500 YEAR FLOOD PLAIN AS PER FLOOD INSURANCE RATE MAP, DATED 6 JANUARY 1988, COMMUNITY PANEL NO. 120070 0175 B.
  - CONTOUR LINES TAKEN FROM FIELD ELEVATIONS TAKEN BY THIS OFFICE. ELEVATIONS ARE BASED ON NGVD 29 DATUM.
  - UTILITY EASEMENTS ARE AS SHOWN ON PLAT.
  - MINIMUM LOT SIZE TO BE 0.50 ACRES.
  - WATER SOURCE TO BE INDIVIDUAL WELLS.
  - WASTE WATER DISPOSAL TO BE INDIVIDUAL SEPTIC TANKS.
  - LAND IS PRIMARILY GRASSLAND WITH SCATTERED HARDWOODS AND PINES.
  - CLOSURE OF FIELD SURVEY IS 1/74,206.
  - ZONING RSF-2.
  - PRELIMINARY PLAN APPROVED DECEMBER 16, 2004.

15' WIDE PUBLIC UTILITY EASEMENTS ARE ALONG THE LOT SIDE OF ALL RIGHT-OF-WAY LINES THAT ABUT LOTS.

**APPROVAL:** STATE OF FLORIDA, COUNTY OF COLUMBIA  
THIS PLAT IS HEREBY APPROVED BY THE COLUMBIA COUNTY COMMISSION  
THIS 14th DAY OF December, 2006 A.D.  
*Mark D. Duren*  
CHAIRMAN

**CERTIFICATE OF CLERK**

THIS PLAT HAVING BEEN APPROVED BY THE COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS IS ACCEPTED FOR FILES AND RECORDED THIS 14 DAY OF January, 2007, A.D., IN PLAT BOOK 9 PAGE 243.  
*Mark D. Duren*  
CLERK OF COURT, COLUMBIA COUNTY, FLORIDA.

**SURVEYORS CERTIFICATION**  
I HEREBY CERTIFY THAT THIS SURVEY WAS MADE UNDER MY RESPONSIBLE DIRECTION AND SUPERVISION AND IS A CORRECT REPRESENTATION OF THE LAND SURVEYED AND THAT THE PERMANENT REFERENCE POINTS HAVE BEEN SET AND THAT SURVEY DATA AND MONUMENTATION COMPLIES WITH COLUMBIA COUNTY SUBDIVISION ORDINANCE AND CHAPTER 177 OF THE FLORIDA STATUTES.

DATED 12 DECEMBER 2006 A.D.  
*Mark D. Duren*

MARK D. DUREN, P.S.M.  
FLORIDA CERT. NO. 4708  
1604 SW SISTERS WELCOME ROAD  
LAKE CITY, FLORIDA 32025  
(386) 758-9831

**CERTIFICATE OF COUNTY SURVEYOR:**  
THIS IS TO CERTIFY THAT ON THIS 14th DAY OF December, 2006, A.D., TIMOTHY A. DELBENE FLORIDA LICENSED SURVEYOR AND MAPPER, REGISTRATION NUMBER, LS 5594 HAS REVIEWED THIS PLAT FOR CONFORMITY WITH FLORIDA STATUTES, CHAPTER 177, AS AMENDED, FOR THE COUNTY OF COLUMBIA COUNTY, FLORIDA, AND SAID PLAT MEETS ALL THE REQUIREMENTS OF CHAPTER 177, AS AMENDED.  
*Timothy A. Delbene*  
SIGNED: Timothy A. Delbene TIMOTHY A. DELBENE, PLS  
DONALD F. LEE & ASSOC., INC.  
PLS # 5594 LS # 7042

**ENGINEER'S CERTIFICATION:**  
I, THE UNDERSIGNED REGISTERED PROFESSIONAL ENGINEER, HEREBY CERTIFY THAT THE PROPOSED DRAINAGE SYSTEM IS SUFFICIENT WITH RESPECT TO THE REQUIREMENTS OF THE COLUMBIA COUNTY LAND DEVELOPMENT REGULATIONS ADOPTED MARCH 4, 1998 BY ORDINANCE NO. 98-1.  
*Quinted Keen*  
SIGNED: Quinted Keen QUINTED KEEN  
9263 CR 417  
LIVE OAK, FLORIDA 32060  
386/362-4787  
ENG. LIC. EB 3761  
DATED 12/12/06

"NOTICE: THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED IN HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY."

ALL PLATTED UTILITY EASEMENTS SHALL PROVIDE THAT SUCH EASEMENTS SHALL ALSO BE FOR THE CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES; PROVIDED, HOWEVER, NO SUCH CONSTRUCTION, INSTALLATION, MAINTENANCE, AND OPERATION OF CABLE TELEVISION SERVICES SHALL INTERFERE WITH THE FACILITIES AND SERVICES OF ELECTRIC, TELEPHONE, GAS, OR OTHER PUBLIC UTILITY. IN THE EVENT THAT A CABLE TELEVISION COMPANY DAMAGES THE FACILITIES OF A PUBLIC UTILITY, IT SHALL BE SOLELY RESPONSIBLE FOR THE DAMAGES.

"NOTICE"  
THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC RECORDS OF THIS COUNTY."

**DEDICATION:**  
KNOW ALL MEN BY THESE PRESENT THAT LOID RUSSELL BAILEY, AND HIS WIFE, DOROTHY H. BAILEY, AS OWNERS, HAVE CAUSED THE LANDS HERON DESCRIBED, TO BE SURVEYED, SUBDIVIDED AND PLATTED, TO BE KNOWN AS "RUSSWOOD ESTATES, UNIT 4", AND THAT ALL ROADS, STREETS, RETENTION PONDS AND ALL EASEMENTS FOR UTILITIES, AS SHOWN AND/OR DEPICTED HEREON ARE HEREBY DEDICATED TO THE PERPETUAL USE OF THE PUBLIC.

ATTESTS:

WITNESS AS TO OWNER: *Connie F. Scott* WITNESS AS TO OWNER: *Loid Russell Bailey*  
WITNESS AS TO OWNER: *Eunice P. Henderson* WITNESS AS TO OWNER: *Dorothy H. Bailey*

**ACCEPTANCE FOR MAINTENANCE; COUNTY OF COLUMBIA.**

"I HEREBY CERTIFY THAT THE IMPROVEMENTS HAVE BEEN CONSTRUCTED IN AN ACCEPTABLE MANNER AND IN ACCORDANCE WITH COUNTY SPECIFICATIONS OR THAT A PERFORMANCE BOND OR INSTRUMENT IN THE AMOUNT OF \$9,000.00 HAS BEEN POSTED TO ASSURE COMPLETION OF ALL REQUIRED IMPROVEMENTS AND MAINTENANCE IN CASE OF DEFAULT."

DATED 12/28/06, AD *Hyde Crowder*  
PUBLIC WORKS DIRECTOR

**COUNTY ATTORNEY CERTIFICATE:**

I HEREBY CERTIFY THAT I HAVE EXAMINED THE FOREGOING PLAT AND THAT IT COMPLIES IN FORM WITH THE COLUMBIA COUNTY SUBDIVISION ORDINANCE AND CHAPTER 177 OF THE FLORIDA STATUTES.

DATED December 15, 2006 AD *Mark D. Duren*  
COUNTY ATTORNEY

- SYMBOL LEGEND**
- CONCRETE MONUMENT FOUND
  - 4"x4" CONCRETE MONUMENT SET, LS 4708
  - IRON PIPE OR PIPE FOUND
  - 5/8" IRON ROD SET, LS 4708
  - WIRE FENCE
  - ELECTRIC UTILITY LINE (OVERHEAD)
  - UNDERGROUND ELECTRIC SERVICE
  - CABLE TV LINE (OVERHEAD)
  - CHAIN LINK FENCE
  - WOODEN FENCE
  - CMF CORRUGATED METAL PIPE
  - RCF REINFORCED CONCRETE PIPE
  - LS LAND SURVEYOR
  - LB LICENSED BUSINESS
  - ORB OFFICIAL RECORD BOOK
  - PRM PERMANENT REFERENCE MONUMENT
  - PCP PERMANENT CONTROL POINT
  - UTILITY POLE
  - R/W RIGHT-OF-WAY
  - NO ID. NO IDENTIFICATION
  - FLA. D.O.T. FLA. DEPT. OF TRANSPORTATION
  - CENTERLINE
  - 4"x4" CONCRETE MONUMENT, PRM, LS 4708
  - CONCRETE MONUMENT
  - ACRES
  - ELEVATION
  - NGVD 29 NATIONAL GEODETIC VERTICAL DATUM OF 1929
  - C.M. CONCRETE MONUMENT
  - I.R. IRON ROD
  - I.P. IRON PIPE
  - NAIL AND DISC, LS 4708, CL PCP


PLAT PREPARED BY  
**MARK D. DUREN, P.S.M.**  
LS 4708

1604 SW SISTERS WELCOME ROAD  
LAKE CITY, FLA. 32025  
(386) 758-9831 OFFICE  
(386) 758-8010 FAX

WO# 04-075

OFFICIAL RECORDS  
BOOK PAGE  
1106/2614

FILE NUMBER 2007000300  
FILED AND RECORDED IN THE OFFICIAL RECORDS  
OF COLUMBIA COUNTY, FLORIDA  
11/14 8:00Z 11/16:25 0 CLOCK P.M.  
**P. DEWITT CASON**  
CLERK OF COURTS  
COLUMBIA COUNTY, FLORIDA  
BY: *Mark D. Duren* D.C.



# "RUSSWOOD ESTATES, UNIT 4"

A SUBDIVISION OF PART OF SECTION 10,  
TOWNSHIP 4 SOUTH, RANGE 16 EAST,  
COLUMBIA COUNTY, FLORIDA

SEE SHEET 1 OF 2 FOR DESCRIPTION.

### CURVE TABLE

NO.	RADIUS	DELTA	ARC	TANGENT	CHORD	CHORD BEARING
1	30.00'	90°00'00"	47.12'	30.00'	42.43'	S.46°44'28"E.
2	30.00'	48°11'23"	25.23'	13.42'	24.49'	N.64°09'51"E.
3	60.00'	101°19'59"	106.12'	73.22'	92.82'	N.89°15'51"W.
4	60.00'	66°51'24"	70.01'	39.61'	66.11'	N.05°10'10"W.
5	60.00'	108°11'23"	113.30'	82.87'	97.20'	N.82°21'13"E.
6	30.00'	48°11'23"	25.23'	13.42'	24.49'	N.67°38'47"W.
7	30.00'	90°00'00"	47.12'	30.00'	42.43'	S.43°15'32"E.
8	30.00'	90°00'00"	47.12'	30.00'	42.43'	N.46°44'28"W.
9	30.00'	48°11'23"	25.23'	13.42'	24.49'	S.64°09'51"W.
10	60.00'	138°11'23"	144.71'	157.08'	112.10'	S.70°50'09"E.
11	60.00'	82°54'56"	86.83'	53.00'	79.45'	S.39°43'00"W.
12	60.00'	55°18'27"	67.88'	31.42'	55.66'	N.71°11'19"W.
13	30.00'	48°11'23"	25.23'	13.42'	24.49'	S.67°38'47"E.
14	30.00'	90°00'00"	47.12'	30.00'	42.43'	N.43°15'32"E.

LANDS OF  
C. F. AND JONELL L. DOUGLAS  
PARCEL # 02849-000  
ZONED A-1  
27 AC. ±  
NOT A PART

BUILDING SETBACKS / MINIMUM YARD REQUIREMENTS:  
FRONT - 25'  
SIDE - 10' FOR EACH SIDE YARD.  
REAR - 15'

STREET LIGHTING, IF REQUIRED BY COLUMBIA COUNTY BOARD OF COUNTY COMMISSIONERS, WILL BE INSTALLED AND CONSTRUCTED BY THE SUBDIVIDER ACCORDING TO THE STANDARDS OF SAID BOARD PURSUANT TO SECTION 5.26.3.6 COLUMBIA COUNTY LAND DEVELOPMENT REGULATIONS.

### SYMBOL LEGEND

- CONCRETE MONUMENT FOUND
- 4"x4" CONCRETE MONUMENT SET, LS 4708
- IRON PIN OR PIPE FOUND
- 5/8" IRON ROD SET, LS 4708
- WIRE FENCE
- ELECTRIC UTILITY LINE (OVERHEAD)
- UGE - UNDERGROUND ELECTRIC SERVICE
- CTV - CABLE TV LINE (OVERHEAD)
- CHAIN LINK FENCE
- WOODEN FENCE
- CMP CORRUGATED METAL PIPE
- RCP REINFORCED CONCRETE PIPE
- LS LAND SURVEYOR
- LB LICENSED BUSINESS
- ORB OFFICIAL RECORD BOOK
- PRM PERMANENT REFERENCE MONUMENT
- PCP PERMANENT CONTROL POINT
- ○ UTILITY POLE
- R/W RIGHT-OF-WAY
- NO ID. NO IDENTIFICATION
- FLA. D.O.T. FLA. DEPT. OF TRANSPORTATION CENTERLINE
- ■ 4"x4" CONCRETE MONUMENT, PRM, LS 4708.
- C.M. CONCRETE MONUMENT
- AC. ACRES
- EL. ELEVATION
- NGVD 29 NATIONAL GEODETIC VERTICAL DATUM OF 1929
- C.M. CONCRETE MONUMENT
- I.R. IRON ROD
- I.P. IRON PIPE
- ⊙ NAIL AND DISC, LS 4708, CL PCP

PLAT PREPARED BY  
**MARK D. DUREN, P.S.M.**  
LS 4708

1604 SW SISTERS WELCOME ROAD  
LAKE CITY, FLA. 32025  
(386) 758-9831 OFFICE  
(386) 758-8010 FAX


WO# **04-075**

DRAWING FILE: 04075\_12\_12\_06\_FINAL\_PLAT.DWG


OFFICIAL RECORDS  
BOOK PAGE  
1106/2614

NW CORNER  
OF SECTION 10,  
TOWNSHIP 4 SOUTH,  
RANGE 16 EAST,  
COLUMBIA COUNTY,  
FLORIDA

NE CORNER OF  
THE W 1/2 OF  
THE NW 1/4 OF  
SECTION 10



CURTIS, I ESTIMATE 5313  
CUBIC YARDS OF VOLUME  
BETWEEN THE 98' POPOFF  
ELEV ON THE LOWEST PART  
OF THE BIRM AND THE  
ACTUAL BOTTOM CONTOUR.



# **RUSSWOOD ESTATES**

**UNIT 4  
For 2008**

**PARENT PARCEL – 10-4S-16-02853-000 – 24.61 AC. – 12.55 AC. = 12.06 AC.**

**HEADER PARCEL – 10-4S-16-02853-400 – A S/D IN PART OF THE NW1/4 OF THE NW1/4 OF SEC. 10-4S-16, CONTAINING 12.55 AC. RECORDED ON 1/4/07 IN PLAT BOOK 9 PAGES 2 & 3.**

<b>Lot 15</b>	<b>10-4s-16-02853-415</b>	<b>.76 ac.</b>
<b>Lot 16</b>	<b>10-4s-16-02853-416</b>	<b>.75 ac.</b>
<b>Lot 17</b>	<b>10-4s-16-02853-417</b>	<b>.75 ac.</b>
<b>Lot 18</b>	<b>10-4s-16-02853-418</b>	<b>.75 ac.</b>
<b>Lot 19</b>	<b>10-4s-16-02853-419</b>	<b>.76 ac.</b>
<b>Lot 20</b>	<b>10-4s-16-02853-420</b>	<b>.62 ac.</b>
<b>Lot 21</b>	<b>10-4s-16-02853-421</b>	<b>.55 ac.</b>
<b>Lot 22</b>	<b>10-4s-16-02853-422</b>	<b>.53 ac.</b>
<b>Lot 23</b>	<b>10-4s-16-02853-423</b>	<b>.50 ac.</b>
<b>Lot 24</b>	<b>10-4s-16-02853-424</b>	<b>.50 ac.</b>
<b>Lot 25</b>	<b>10-4s-16-02853-425</b>	<b>.50 ac.</b>
<b>Lot 26</b>	<b>10-4s-16-02853-426</b>	<b>.50 ac.</b>
<b>Lot 27</b>	<b>10-4s-16-02853-427</b>	<b>.50 ac.</b>
<b>Lot 28</b>	<b>10-4s-16-02853-428</b>	<b>.75 ac.</b>

**Retention area - 10-4s-16-02853-998      1.70 ac.**